

Tytherington



Typical Representation

Wild flowers

		Occurance	Percentage
<i>Anthyllis vulneraria</i>	Kidney Vetch	1	0.21
<i>Betonica officinalis</i>	Betony	1	0.21
<i>Centaurea nigra</i>	Black Knapweed	14	2.97
<i>Centaurea scabiosa</i>	Greater Knapweed	1	0.21
<i>Daucus carota</i>	Wild Carrot	12	2.54
<i>Euphrasia sp</i>	Eyebright sp.	19	4.03
<i>Filipendula vulgaris</i>	Dropwort	1	0.21
<i>Galium verum</i>	Lady's Bedstraw	27	5.72
<i>Hypochoeris radicata</i>	Cat's Ear	2	0.42
<i>Knautia arvensis</i>	Field Scabious	9	1.91
<i>Lathyrus pratensis</i>	Meadow Vetchling	1	0.21
<i>Leontodon hispidus</i>	Hawk Bit	8	1.69
<i>Leontodon autumnalis</i>	Autumn Hawkbit	6	1.27
<i>Leucanthemum vulgare</i>	Ox-Eye Daisy	0	0.00
<i>Linum catharticum</i>	Fairy Flax	8	1.69
<i>Lotus corniculatus</i>	Bird's Foot Trefoil	4	0.85
<i>Medicago lupulina</i>	Black Medic	24	5.08
<i>Medicago arabica</i>	Spotted Medic	4	0.85
<i>Odontites verna</i>	Red Bartsia	8	1.69
<i>Pimpinella saxifraga</i>	Burnet Saxifrage	1	0.21
<i>Plantago lanceolata</i>	Ribwort Plantain	18	3.81
<i>Plantago media</i>	Hoary Plantain	28	5.93
<i>Prunella vulgaris</i>	Selfheal	40	8.47
<i>Ranunculus acris</i>	Meadow Buttercup	15	3.18
<i>Rhinanthus minor</i>	Yellow Rattle	60	12.71
<i>Sanguisorba minor</i>	Salad Burnett	2	0.42
<i>Scabiosa columbaria</i>	Samll Scabious	18	3.81
<i>Succisa pratensis</i>	Devil's Bit Scabious	2	0.42
<i>Stellaria holostea</i>	Greater Stichwort	12	2.54
<i>Serratula tinctoria</i>	Saw Wort	1	0.21
<i>Trifolium pratense</i>	Red Clover	20	4.24
<i>Vicia sativa</i>	Common Vetch	2	0.42

Grasses

<i>Agrostis capillaris</i>	Common Bent	32	6.78
<i>Aloperceris pratensis</i>	Meadow Foxtail	5	1.06
<i>Trisetum flavescens</i>	Yellow Oatgrass	2	0.42
<i>Briza media</i>	Quaking Grass	2	0.42
<i>Cynosurus cristatus</i>	Crested Dog's Tail	20	4.24
<i>Dactylis glomerata</i>	Cock's Foot	8	1.69
<i>Festuca sp</i>	Fescue sp	25	5.30
<i>Poa pratensis</i>	SS Meadow Grass	9	1.91

Wildflowers 78%

Grasses 22%

From a 4g sample

472 100%